

??? ?????????????? ??????????? BAFANG 500W-36V BBS02B (????? ??????????)



?????????: ??? ?????????????? ??????
?????
?????: 750,00 €
???????

☆ KATOIIN HAPATTEAIAE

[????????? ??? ?? ???????](#)

SPECIFICATIONS

Core Data

Position	Mid Motor
Wheel Diameter (inch)	Optional
Construction	Gear drive
Rated Voltage (DCV)	36/48
n0 (Rpm)	120/126
Rated Power (W)	500
nT(Rpm)	113/118
Max Torque	100 N.m
Efficiency (%)	≥ 80
Pedal Sensor	Speed
Shaft Standard	JIS
Color	Black
Weight (kg)	4.3
Noise Grade (dB)	< 55
Operating Temperature	-20-45℃

Function

E-Brake	Yes
Gearsensor Function	Optional
Light Drive Capacity (DCV / W)	6 /3(max) (Optional)

Further Specifications

Magnet Poles (2P)	16
-------------------	----

Tests & Certifications

IP	IP 65
Certifications	ROHS
Salt Spray Test Standard(h)	96

DIMENSIONS

Technical drawing of the motor showing dimensions A, B, C, D, and E. Dimension A is the total length, B is the wheel diameter, C is the pedal sensor distance, D is the motor body length, and E is the mounting bracket length.

Dimension A	208 mm
Dimension B	110mm
Dimension C	68 mm
Dimension D	159 mm
Dimension E	88 mm

ATMT